




Association changes

Remarks and Wallet



Overview



PNAPNR ON – Remark Sample from Sabre Profile

Remark comes with a * in the beginning of the field :

```
*R<
1.1SUESCUN/ALINE
NO ITIN
PROFILE,POLICY,AND/OR PREFERENCE INDEX DATA EXIST
*PI TO DISPLAY ALL
REMARKS
1*GENERIC TEST REMARK
KJ49.95S7*AAS 1400/14NOV23
```

In the Graphical version, remark has an extra column named “Traveler Association” and the passenger it associates with:

Remarks (1) + ADD DELETE

Line ↓	Type	Remarks	Traveler Association
1	General	GENERIC TEST REMARK	1.1 SUESCUN, ALINE

IMPORTANT:

Only remarks moved to the PNR by Sabre Profiles will be automatically associated.

PNAPNR OFF – Remark Sample from Sabre Profile

No * in front of the line item:

```
*R«
 1.1SUESCUN/ALINE
NO ITIN
PROFILE,POLICY,AND/OR PREFERENCE INDEX DATA EXIST
*PI TO DISPLAY ALL
REMARKS
 1.GENERIC TEST REMARK
95S7.95S7*AAS 1309/14NOV23
```

HOME ITINERARY QUOTES TRAVELER INFORMATION REMARKS TICKETING HISTORY

Remarks (1) + ADD DELETE

Line ↓	Type	Remarks
1	General	GENERIC TEST REMARK ⋮

PNAPNR OFF – SR360 display – “5-”

Credit card data added with 5- command.

```
AWOJWA
1.1SUES/ALINE
1 VA 804I 15MAY W SYDMEL HK1 630A 805A HRS /DCVA*AZNFAU /E
TKT/TIME LIMIT
1.T-25NOV-N5LG*HTY
PHONES
1.SYD46454354
2.SYD74991234567-A
ANCILLARY EXISTS *AE TO DISPLAY
PRICE QUOTE RECORD EXISTS - SYSTEM
AA FACTS
1.SSR PDLG VA KK1 SYDMEL0804I15MAY/E/XL1/1S LOUNGE
GENERAL FACTS
2.SSR PDLG VA NN1 SYDMEL0804I15MAY/E/XL1/1S LOUNGE
REMARKS
1.-CASH
2.-*VIXXXXXXXXXXXXXX1111¥XXXXX
ACCOUNTING DATA
```

In SR360 display, no *FOP field is created, and form of payment data is added directly to the PNR display under Remarks

With PNAPNR OFF, I'm not able to add the form of payment information using FOP command in SR360:



PNAPNR ON – SR360 display – “5-”

Credit card data added with 5- command.

```
SMXAOZ
  1.1SUES/ALINEMRS
  1 VA 925Y 17MAY F SYDBNE HK1  900A 1030A /DCVA*PNCVOS /E
TKT/TIME LIMIT
  1.T-A
PHONES
  1.SYDP
FORM OF PAYMENT DATA EXISTS *FOP TO DISPLAY ALL
PRICE QUOTE RECORD EXISTS - SYSTEM
REMARKS
  1.¥ITINERARY REMARK
  2.X/INTERFACE REMARK TEST
  3.INVOICE REMARK
RECEIVED FROM - ASUEE
B1N9.HDQ*HTY 1333/26JAN24 SMXAOZ H

*FOP«
FORM OF PAYMENT
  1. PAYMENT CARD TYPE
    *VI4XXXXXXXXXXXX1111/0530
  2. CASH TYPE
    CASH
```

For an undefined period, Sabre will still display the 5- remark in the PNR, although it won't be explicit in the Remarks area. This “hidden” remark can be accessed by the command *-



```
CASH
*-«
REMARKS
  1.-*VI4XXXXXXXXXXXX1111¥05/30
  2.-CASH
```

PNAPNR **ON** – SR360 display – “FOP”

Form of Payment data added using FOP command:

```
SMXAOZ
1.1SUES/ALINEMRS
1 VA 925Y 17MAY F SYDBNE HK1 900A 1030A /DCVA*PNCVOS /E
TKT/TIME LIMIT
1.T-A
PHONES
1.SYDP
FORM OF PAYMENT DATA EXISTS *FOP TO DISPLAY ALL
PRICE QUOTE RECORD EXISTS - SYSTEM
RECEIVED FROM - ASUEE
B1N9.HDQ*HTY 1333/26JAN24 SMXAOZ H

*FOP«
FORM OF PAYMENT
1. PAYMENT CARD TYPE
*VI4XXXXXXXXXXXX1111/0530
2. CASH TYPE
CASH
3. CHECK TYPE
CK
4. PAYMENT CARD TYPE
*VI4XXXXXXXXXXXX1111/0529
```

```
REMARKS
1. -*VI4XXXXXXXXXXXX1111¥05/30
2. -CASH
3. -CK
4. -*VI4XXXXXXXXXXXX1111¥05/29
```

```
FOP*VI4444333322221111¥05/29«
*
```

When adding the Form of Payment using the FOP entry in SR360, Sabre will still display the form of payment in both *FOP and *-

In this example, FOP 3 and FOP4 were added using command FOPCK and FOP*VI4444333322221111#05/29

PNR created PNAPNR OFF and retrieved ON

System will convert the 5- data into a FOP field.

PCC OFF

```
1.1SUESCUN/ALINE
1 IB7458Y 15AUG Q LHRMAD HK1 615A 940A /DCIB*VCFBVW /E
OPERATED BY BRITISH AIRWAYS
TKT/TIME LIMIT
1.T-A
PHONES
1.LONP
PROFILE,POLICY,AND/OR PREFERENCE INDEX DATA EXIST
*PI TO DISPLAY ALL
REMARKS
1.GENERIC TEST REMARK
2.-CASH
RECEIVED FROM - ASUE
95S7.95S7*AAS 1357/14NOV23 RNQXK H
```

PCC ON

```
*RNQXK«
RNQXK
1.1SUESCUN/ALINE
1 IB7458Y 15AUG Q LHRMAD HK1 615A 940A /DCIB*VCFBVW /E
OPERATED BY BRITISH AIRWAYS
TKT/TIME LIMIT
1.T-A
PHONES
1.LONP
FORM OF PAYMENT DATA EXISTS *FOP TO DISPLAY ALL
PROFILE,POLICY,AND/OR PREFERENCE INDEX DATA EXIST
*PI TO DISPLAY ALL
REMARKS
1.GENERIC TEST REMARK
RECEIVED FROM - ASUE
95S7.95S7*AAS 1357/14NOV23 RNQXK H
```

PNR created PNAPNR ON and retrieved OFF

PCC OFF will show a FOP field, but the 5- remarks will be expanded by default.

PCC ON

```
*SMXAOZ«
SMXAOZ
1.1SUES/ALINEMRS
1 VA 925Y 17MAY F SYDBNE HK1 900A 1030A /DCVA*PNCVOS /E
TKT/TIME LIMIT
1.T-A
PHONES
1.SYDP
FORM OF PAYMENT DATA EXISTS *FOP TO DISPLAY ALL
PRICE QUOTE RECORD EXISTS - SYSTEM
RECEIVED FROM - ASUEE
B1N9.HDQ*HTY 1333/26JAN24 SMXAOZ H
```

PCC OFF

```
SMXAOZ
1.1SUES/ALINEMRS
1 VA 925Y 17MAY F SYDBNE HK1 900A 1030A /DCVA*PNCVOS /E
TKT/TIME LIMIT
1.T-A
PHONES
1.SYDP
FORM OF PAYMENT DATA EXISTS *FOP TO DISPLAY ALL
PRICE QUOTE RECORD EXISTS - SYSTEM
REMARKS
1.-*VI4XXXXXXXXXXXX1111¥05/30
2.-CASH
3.-CK
4.-*VI4XXXXXXXXXXXX1111¥05/29
```


IUR won't change for remarks below



Regular text remarks will not be associated in the IUR. For those remarks nothing changes.

Remark	Psgr Assoc in PNR	Psgr Assoc in IUR
(5) Free Text	YES	NO
(5H-) Historical	YES	NO
(5HR-) Hidden	YES	NO
(5C‡) Alpha	YES	NO
(5C-CORP) Corporate Number	YES	NO
(5T‡) Alpha	YES	NO
(5I‡) Insurance	YES	NO
(5H‡) Alpha	YES	NO
(5/)	YES	NO

IUR will change for remarks below



Interface, Invoice and Itinerary remarks MOVED FROM PROFILES TO PNR will be affected.

REMARKS	REMARKS EXPLANATION	IUR M RECORD
5X/-	Interface Remarks	M9
5.	Invoice Remark	M8
5‡	Itinerary Remark	M7

IMPORTANT:

If those remarks are manually added to the PNR, they won't be automatically associated, hence no IUR impact.

IUR will change for remarks below

IUR sample of non-associated remarks

M3011 OHK15AUGAIRNLHRLONDON HEATHROW MADMADRID BA 4
56Y 0615 0940 2.25 G 000 320000785
00TERMINAL 5 TERMINAL 4S
0 002024VD3F4X
M701ITINERARY REMARK TEST IUR
M801INVOICE REMARK TEST IUR
¥
MD«
M901INTERFACE REMARK TEST IUR ¥
MD«
¥END OF SCROLL¥

For unassociated remarks, field M7, M8 and M9 will come alone in the IUR, no extra indication of association.

IUR will change for remarks below

IUR sample of associated remarks (remarks from Profile)

```
54 M52801 IB#9058515489/ - - 0.00/ - - 848.00/ - - 18.38/ONE/CA 1.1BAILEY RMR/1/F/E CRLE
55 M701FIVE CROSS REMARK M7 CRLE
56 CRLE
57 M801FIVE DOT REMARK M8 CRLE
58 CRLE
59 M802INVOICE REMARK#N1.1 CRLE
60 CRLE
61 M803INVOICE REMARK#AS1.1 CRLE
62 CRLE
63 M804INVOIVCE REMARK CRLE
64 M101 CRLE
65 M901PT-SSR TKNE IB HK1 MADLHR3170J10MAR/0759058515474C1 CRLE
66 CRLE
67 M902PT-SSR TKNE IB HK1 MADLHR3170J10MAR/0759058515475C1 CRLE
68 CRLE
69 M903PT-SSR TKNE IB HK1 MADLHR3170J10MAR/0759058515476C1 CRLE
70 CRLE
71 M904PT-SSR TKNE IB HK1 MADLHR3170J10MAR/0759058515477C1 CRLE
72 CRLE
73 M905PT-SSR TKNE IB HK1 MADLHR3170J10MAR/0759058515478C1 CRLE
74 CRLE
75 M906PT-SSR TKNE IB HK1 MADLHR3170J10MAR/0759058515479C1 CRLE
76 CRLE
```


For associated remarks, field M7, M8 and M9 will have an extra M101 line, referring to the association – passenger N1.1



API services and Association capabilities



SOAP APIs



SOAP APIs that currently support Wallet



- GetReservationRQ (V1.15.0 and >)
 - https://developer.sabre.com/docs/soap_apis/management/itinerary/Retrieve_Itinerary
- UpdateReservationRQ (V1.15.0 and >)
 - https://developer.sabre.com/docs/soap_apis/management/itinerary/Update_Itinerary
- TravellItineraryReadRQ (V3.8.0 and >)
 - https://developer.sabre.com/docs/soap_apis/management/itinerary/Get_Itinerary
- OTA_AirPriceLLSRQ (V 2.14.0 and >) (PCC R2FH and OZ77 using older versions)
 - https://developer.sabre.com/docs/soap_apis/air/book/Price_Air_Itinerary
- OTA_AirTicketLLSRQ (V2.9.0 and >)
 - https://developer.sabre.com/docs/soap_apis/air/fulfill/Issue_Air_Ticket

SOAP APIs that currently support Wallet




- EnhancedAirBookRQ (V3.7.0 and >)
 - https://developer.sabre.com/docs/soap_apis/air/book/orchestrated_air_booking
- Copy Sabre Profile to Itinerary
 - https://developer.sabre.com/docs/soap_apis/profiles/build_reservation/Copy_Profile_to_Itinerary
- SabreCommandLLSRQ (V2.0)
 - https://developer.sabre.com/docs/soap_apis/management/utility/Send_Sabre_Command



GetReservationRQ



PNAPNR OFF –Associated Remarks



```
<stl19:Addresses>
<stl19:PhoneNumbers>
<stl19:Remarks>
  <stl19:Remark index="1" id="7" type="CODED" code="H" elementId="pnr-7">
  <stl19:Remark index="2" id="8" type="REG" elementId="pnr-8">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>X/INTERFACE REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="3" id="9" type="REG" elementId="pnr-9">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>INVOICE REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="4" id="10" type="ITINERARY" elementId="pnr-10">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>ITINERARY REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
</stl19:Remarks>
</stl19:PhoneNumbers>
</stl19:Addresses>
```

When PNAPNR is OFF, there won't be association of remarks, and they will be displayed under Remarks.

PNAPNR ON - Associated Remarks

```
<stl19:POS Alias="false" ImbdtCode="0"/>
<stl19:PassengerReservation>
  <stl19:Passengers>
    <stl19:Passenger id="3" nameType="S" passengerType="ADT" nameId="01.01" nameAssocId="1" elementId="pnr-3.1">
      <stl19:LastName>SUESCUN</stl19:LastName>
      <stl19:FirstName>ALINE</stl19:FirstName>
      <stl19:Profiles>
        <stl19:Profile id="5">
          <stl19:ProfileID>220441359</stl19:ProfileID>
          <stl19:ProfileType>TVL</stl19:ProfileType>
        </stl19:Profile>
      </stl19:Profiles>
      <stl19:Seats/>
      <stl19:Remarks>
        <stl19:Remark index="10" id="28" type="REG" elementId="pnr-28">
          <stl19:RemarkLines>
            <stl19:RemarkLine>
              <stl19:Text>X/INTERFACE REMARK</stl19:Text>
            </stl19:RemarkLine>
          </stl19:RemarkLines>
        </stl19:Remark>
        <stl19:Remark index="11" id="29" type="REG" elementId="pnr-29">
          <stl19:RemarkLines>
            <stl19:RemarkLine>
              <stl19:Text>INVOICE REMARK</stl19:Text>
            </stl19:RemarkLine>
          </stl19:RemarkLines>
        </stl19:Remark>
        <stl19:Remark index="12" id="30" type="ITINERARY" elementId="pnr-30">
          <stl19:RemarkLines>
            <stl19:RemarkLine>
              <stl19:Text>ITINERARY REMARK</stl19:Text>
            </stl19:RemarkLine>
          </stl19:RemarkLines>
        </stl19:Remark>
      </stl19:Remarks>
    </stl19:Passenger>
  </stl19:Passengers>
</stl19:PassengerReservation>
```

Associated Remarks are added to the API in PassengerReservation>Remarks field

Those remarks are **NOT** added to the regular **Remarks** field.

PNR created with PNAPNR ON and displayed on PNAPNR OFF PCC – Associated Remarks

```
<stl19:Remarks>
  <stl19:Remark index="1" id="12" type="CLIADR" elementId="pnr-12">
  <stl19:Remark index="2" id="13" type="CLIADR" elementId="pnr-13">
  <stl19:Remark index="3" id="14" type="CLIADR" elementId="pnr-14">
  <stl19:Remark index="4" id="15" type="CLIADR" elementId="pnr-15">
  <stl19:Remark index="5" id="17" type="REG" elementId="pnr-17">
  <stl19:Remark index="6" id="18" type="REG" elementId="pnr-18">
  <stl19:Remark index="7" id="24" type="REG" elementId="pnr-24">
  <stl19:Remark index="8" id="25" type="HS" elementId="pnr-25">
  <stl19:Remark index="9" id="26" type="ITINERARY" elementId="pnr-26">
  <stl19:Remark index="10" id="28" type="REG" elementId="pnr-28">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>X/INTERFACE REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="11" id="29" type="REG" elementId="pnr-29">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>INVOICE REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="12" id="30" type="ITINERARY" elementId="pnr-30">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>ITINERARY REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remarks>
```

Although the associated remarks were added to the PNR by a PNAPNR ON PCC, when retrieved on a PNAPNR OFF PCC using GetRes SOAP, it will revert the display to the regular Remark field.

Those remarks are **NOT** added to the **PassengerReservation>Remarks** field in this situation.

PNR created with PNAPNR OFF and displayed on PNAPNR ON PCC - Associated Remarks

```
<stl19:Addresses>
<stl19:PhoneNumbers>
<stl19:Remarks>
  <stl19:Remark index="1" id="7" type="CODED" code="H" elementId="pnr-7">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>/GVI4XXXXXXXXXXXX1111EXP 01 30-SUESCUN</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="2" id="8" type="REG" elementId="pnr-8">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>X/INTERFACE REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="3" id="9" type="REG" elementId="pnr-9">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>INVOICE REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="4" id="10" type="ITINERARY" elementId="pnr-10">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>ITINERARY REMARK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
</stl19:Remarks>
```

Remarks will be displayed in
Remarks field.

Those remarks are **NOT** added to
the
PassengerReservation>Remarks
field in this condition.

PNAPNR OFF – Form of Payment

```
<stl19:PassengerReservation>
<stl19:ReceivedFrom>
<stl19:PhoneNumbers>
<stl19:Remarks>
  <stl19:Remark index="1" id="38" type="FOP" elementId="pnr-38">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>CASH</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="2" id="40" type="FOP" elementId="pnr-40">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>*VI4XXXXXXXXXXXX1111¥05/30</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
</stl19:Remarks>
<stl19:EmailAddresses/>
<stl19:AccountingLines>
  <stl19:AccountingLine id="10" index="1"
  </stl19:AccountingLine>
</stl19:AccountingLines>
```

Form of payment displayed in the Remarks field



Form of payment displayed in OpenReservation>Form of Payment



```
<orl14:OpenReservationElement id="22" type="SRVC" elementId="pnr-22">
<orl14:OpenReservationElement id="38" type="FP" displayIndex="1" elementId="pnr-38">
  <orl14:FormOfPayment migrated="false">
    <orl14:Cash>
      <orl14:Text>CASH</orl14:Text>
    </orl14:Cash>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
<orl14:OpenReservationElement id="40" type="FP" displayIndex="2" elementId="pnr-40">
  <orl14:FormOfPayment migrated="false">
    <orl14:PaymentCard>
      <orl14:PaymentType>CC</orl14:PaymentType>
      <orl14:CardCode>VI</orl14:CardCode>
      <orl14:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl14:CardNumber>
      <orl14:ExpiryMonth>--05</orl14:ExpiryMonth>
      <orl14:ExpiryYear>2030</orl14:ExpiryYear>
      <orl14:GenerateApprovalAtTicketing>true</orl14:GenerateApprovalAtTicketing>
    </orl14:PaymentCard>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
```

PNAPNR ON – Form of Payment

```
<stl19:PassengerReservation>
<stl19:ReceivedFrom>
<stl19:PhoneNumbers>
<stl19:Remarks>
  <stl19:Remark index="1" id="38" type="FOP" elementId="pnr-38">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>CASH</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="2" id="40" type="FOP" elementId="pnr-40">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>*VI4XXXXXXXXXXXX1111¥05/30</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
</stl19:Remarks>
<stl19:EmailAddresses/>
<stl19:AccountingLines>
  <stl19:AccountingLine id="10" index="1"
  </stl19:AccountingLine>
</stl19:AccountingLines>
</stl19:PassengerReservation>
```

Form of payment displayed in the Remarks field



Form of payment displayed in OpenReservation>Form of Payment



```
<orl14:OpenReservationElement id="22" type="SRVC" elementId="pnr-22">
<orl14:OpenReservationElement id="38" type="FP" displayIndex="1" elementId="pnr-38">
  <orl14:FormOfPayment migrated="false">
    <orl14:Cash>
      <orl14:Text>CASH</orl14:Text>
    </orl14:Cash>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
<orl14:OpenReservationElement id="40" type="FP" displayIndex="2" elementId="pnr-40">
  <orl14:FormOfPayment migrated="false">
    <orl14:PaymentCard>
      <orl14:PaymentType>CC</orl14:PaymentType>
      <orl14:CardCode>VI</orl14:CardCode>
      <orl14:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl14:CardNumber>
      <orl14:ExpiryMonth>--05</orl14:ExpiryMonth>
      <orl14:ExpiryYear>2030</orl14:ExpiryYear>
      <orl14:GenerateApprovalAtTicketing>true</orl14:GenerateApprovalAtTicketing>
    </orl14:PaymentCard>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
</orl14:OpenReservation>
```

PNR created with PNAPNR OFF and displayed on PNAPNR ON PCC – Form of Payment

```
<stl19:PassengerReservation>
<stl19:ReceivedFrom>
<stl19:PhoneNumbers>
<stl19:Remarks>
  <stl19:Remark index="1" id="38" type="FOP" elementId="pnr-38">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>CASH</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="2" id="40" type="FOP" elementId="pnr-40">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>*VI4XXXXXXXXXXXX1111¥05/30</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
</stl19:Remarks>
<stl19:EmailAddresses/>
<stl19:AccountingLines>
  <stl19:AccountingLine id="10" index="1"
  </stl19:AccountingLine>
</stl19:AccountingLines>
```

Form of payment displayed in the Remarks field



Form of payment displayed in OpenReservation>Form of Payment



```
<orl14:OpenReservationElement id="22" type="SRVC" elementId="pnr-22">
<orl14:OpenReservationElement id="38" type="FP" displayIndex="1" elementId="pnr-38">
  <orl14:FormOfPayment migrated="false">
    <orl14:Cash>
      <orl14:Text>CASH</orl14:Text>
    </orl14:Cash>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
<orl14:OpenReservationElement id="40" type="FP" displayIndex="2" elementId="pnr-40">
  <orl14:FormOfPayment migrated="false">
    <orl14:PaymentCard>
      <orl14:PaymentType>CC</orl14:PaymentType>
      <orl14:CardCode>VI</orl14:CardCode>
      <orl14:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl14:CardNumber>
      <orl14:ExpiryMonth>--05</orl14:ExpiryMonth>
      <orl14:ExpiryYear>2030</orl14:ExpiryYear>
      <orl14:GenerateApprovalAtTicketing>true</orl14:GenerateApprovalAtTicketing>
    </orl14:PaymentCard>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
```


PNR created with PNAPNR ON and displayed on PNAPNR OFF

PCC – Form of Payment

```
<stl19:PassengerReservation>
<stl19:ReceivedFrom>
<stl19:PhoneNumbers>
<stl19:Remarks>
  <stl19:Remark index="1" id="38" type="FOP" elementId="pnr-38">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>CASH</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="2" id="40" type="FOP" elementId="pnr-40">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>*VI4XXXXXXXXXXXX1111¥05/30</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
</stl19:Remarks>
<stl19:EmailAddresses/>
<stl19:AccountingLines>
  <stl19:AccountingLine id="10" index="1"
  </stl19:AccountingLine>
</stl19:AccountingLines>
</stl19:PassengerReservation>
```

Form of payment displayed in the Remarks field



Form of payment displayed in OpenReservation>Form of Payment



```
<orl14:OpenReservationElement id="22" type="SRVC" elementId="pnr-22">
<orl14:OpenReservationElement id="38" type="FP" displayIndex="1" elementId="pnr-38">
  <orl14:FormOfPayment migrated="false">
    <orl14:Cash>
      <orl14:Text>CASH</orl14:Text>
    </orl14:Cash>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
<orl14:OpenReservationElement id="40" type="FP" displayIndex="2" elementId="pnr-40">
  <orl14:FormOfPayment migrated="false">
    <orl14:PaymentCard>
      <orl14:PaymentType>CC</orl14:PaymentType>
      <orl14:CardCode>VI</orl14:CardCode>
      <orl14:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl14:CardNumber>
      <orl14:ExpiryMonth>--05</orl14:ExpiryMonth>
      <orl14:ExpiryYear>2030</orl14:ExpiryYear>
      <orl14:GenerateApprovalAtTicketing>true</orl14:GenerateApprovalAtTicketing>
    </orl14:PaymentCard>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
</orl14:OpenReservation>
```


PNAPNR ON - FOP Type Association – IUR and Air

```
<stl19:GenericSpecialRequests id="11" type="A" msgType="S">
<stl19:AssociationMatrices>
  <stl19:AssociationMatrix>
    <stl19:Name>PersonIDType</stl19:Name>
    <stl19:Parent ref="pnr-3.1"/>
    <stl19:Child ref="pnr-12">
      <stl19:AssociationRule name="MoveOnDivide" value="ON"/>
    </stl19:Child>
    <stl19:Child ref="pnr-or-6">
      <stl19:AssociationRule name="MoveOnDivide" value="ON"/>
    </stl19:Child>
  </stl19:AssociationMatrix>
  <stl19:AssociationMatrix>
    <stl19:Name>FOP</stl19:Name>
    <stl19:Parent ref="pnr-or-6"/>
    <stl19:Child ref="Static" key="FopUsageType" value="IR">
      <stl19:AssociationRule name="MoveOnDivide" value="ON"/>
    </stl19:Child>
  </stl19:AssociationMatrix>
  <stl19:AssociationMatrix>
    <stl19:Name>FOP</stl19:Name>
    <stl19:Parent ref="pnr-or-8"/>
    <stl19:Child ref="Static" key="FopUsageType" value="AL">
      <stl19:AssociationRule name="MoveOnDivide" value="ON"/>
    </stl19:Child>
  </stl19:AssociationMatrix>
</stl19:AssociationMatrices>
```

*FOP«	
FORM OF PAYMENT	
1. PAYMENT CARD TYPE	
VI4XXXXXXXXXXXX1111/1230	
	UIR
1.1 SUES/ALINEMRS	
2. PAYMENT CARD TYPE	
VI4XXXXXXXXXXXX1111/1230	
	UAL



UpdateReservationRQ



PNAPNR OFF – Form of Payment

When **“always add as FOP”** is set to **false** in the RQ, system will add both Remarks and Open Element data:

```
<UpdateReservationRQ Version="1.19.8" xmlns:or="http://services.sabre.com/res/or/v1_14" xmlns="http://webservices.sabre.com/pnrbuilder/v1_19">
  <RequestType commitTransaction="true" initialIgnore="false">Stateful</RequestType>
  <ReturnOptions IncludeUpdateDetails="true" RetrievePNR="true"/>
  <ReservationUpdateList>
    <ReservationUpdateItem>
      <OpenReservationElementUpdate op="C">
        <OpenReservationElement type="FP">
          <or:FormOfPayment alwaysAddAsFOP="false">
            <or:Cash>
              <or:Text>CA</or:Text>
            </or:Cash>
          </or:FormOfPayment>
        </OpenReservationElement>
      </OpenReservationElementUpdate>
    </ReservationUpdateItem>
  </ReservationUpdateList>
</UpdateReservationRQ>
```

```
<stl19:PHONENUMBERS>
</stl19:PHONENUMBERS>
<stl19:Remarks>
  <stl19:Remark index="1" id="47" type="FOP" elementId="pnr-47">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>CA</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="2" id="48" type="FOP" elementId="pnr-48">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>CHECK</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
  <stl19:Remark index="3" id="49" type="FOP" elementId="pnr-49">
    <stl19:RemarkLines>
      <stl19:RemarkLine>
        <stl19:Text>VI4XXXXXXXXXXXX1111Y10/29</stl19:Text>
      </stl19:RemarkLine>
    </stl19:RemarkLines>
  </stl19:Remark>
</stl19:Remarks>
</orl14:FormOfPayment>
</orl14:OpenReservationElement>
<orl14:OpenReservationElement id="48" type="FP" displayIndex="2" elementId="pnr-48">
  <orl14:FormOfPayment migrated="false">
    <orl14:Check>
      <orl14:Text>CHECK</orl14:Text>
    </orl14:Check>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
<orl14:OpenReservationElement id="49" type="FP" displayIndex="3" elementId="pnr-49">
  <orl14:FormOfPayment migrated="false">
    <orl14:PaymentCard>
      <orl14:PaymentType>CC</orl14:PaymentType>
      <orl14:CardCode>VI</orl14:CardCode>
      <orl14:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl14:CardNumber>
      <orl14:ExpiryMonth>--10</orl14:ExpiryMonth>
      <orl14:ExpiryYear>2029</orl14:ExpiryYear>
    </orl14:PaymentCard>
  </orl14:FormOfPayment>
</orl14:OpenReservationElement>
</orl14:OpenReservationList>
</orl14:OpenReservationRequest>
</orl14:OpenReservationRequest>
```

PNAPNR ON – Form of Payment

When “**always add as FOP**” is set to **false** in the RQ, system will add information **only to Open Reservation > FOP field**

```
<UpdateReservationRQ Version="1.19.8" xmlns:or="http://services.sabre.com/res/or/v1_14" xmlns="http://webservices.sabre.com/pnrbuilder/v1_19">
  ....<RequestType commitTransaction="true"
    initialIgnore="false">Stateful</RequestType>
  ....<ReturnOptions IncludeUpdateDetails="true"
    RetrievePNR="true"/>
  ....<ReservationUpdateList>
    ....<ReservationUpdateItem>
      ....<OpenReservationElementUpdate op="C">
        ....<OpenReservationElement type="FP">
          ....<or:FormOfPayment alwaysAddAsFOP="false">
            ....<or:Cash>
              ....<or:Text>CA</or:Text>
            ....</or:Cash>
          ....</or:FormOfPayment>
        ....</OpenReservationElement>
      ....</OpenReservationElementUpdate>
    ....</ReservationUpdateItem>
    ....<ReservationUpdateItem>
```

```
<soap-env:Header>
<soap-env:Body>
  <stl19:UpdateReservationRS xmlns:stl19="http://webservices.sabre.com/pnrbuilder/v1_19" xmlns:ns6="h
    <stl19:Success>OK</stl19:Success>
    <stl19:Reservation numberInParty="1" numberOfInfants="0" NumberInSegment="1">
      <stl19:BookingDetails>
        <stl19:POS AirExtras="false" InhibitCode="U">
          <stl19:PassengerReservation>
            <stl19:ReceivedFrom>
              <stl19:PhoneNumbers>
                <stl19:EmailAddresses/>
                <stl19:OpenReservationElements>
                  <orl14:OpenReservationElement id="26" type="FP" displayIndex="1" elementId="pnr-or-26">
                    <orl14:FormOfPayment migrated="false">
                      <orl14:Cash>
                        <orl14:Text>CA</orl14:Text>
                      </orl14:Cash>
                    </orl14:FormOfPayment>
                  </orl14:OpenReservationElement>
                  <orl14:OpenReservationElement id="27" type="FP" displayIndex="2" elementId="pnr-or-27">
                    <orl14:FormOfPayment migrated="false">
                      <orl14:Check>
                        <orl14:Text>CHECK</orl14:Text>
                      </orl14:Check>
                    </orl14:FormOfPayment>
                  </orl14:OpenReservationElement>
                  <orl14:OpenReservationElement id="28" type="FP" displayIndex="3" elementId="pnr-or-28">
                    <orl14:FormOfPayment migrated="false">
                      <orl14:PaymentCard>
                        <orl14:PaymentType>CC</orl14:PaymentType>
                        <orl14:CardCode>VI</orl14:CardCode>
                        <orl14:CardNumber tokenized="true" masked="true">4XXXXXXXXXXXX1111</orl14:Ca
                        <orl14:ExpiryMonth>--10</orl14:ExpiryMonth>
                        <orl14:ExpiryYear>2029</orl14:ExpiryYear>
                      </orl14:PaymentCard>
```

PNAPNR OFF – Form of Payment

When “**always add as FOP**” is set to **true** in the RQ, system will only add OpenReservation FOP **EVEN IF THE PCC IS PNAPNR OFF**

When this FOP field is created, it can't be edited/deleted since PCC is OFF. It can be cancelled by a PCC ON.

```
<...></ReservationUpdateItem>
<...><ReservationUpdateItem>
  <...><OpenReservationElementUpdate op="C">
    <...><OpenReservationElement type="FP">
      <...><or:FormOfPayment alwaysAddAsFOP="true">
        <...><or:PaymentCard>
          <...><or:PaymentType>CC</or:PaymentType>
          <...><or:CardCode>VI</or:CardCode>
          <...><or:CardNumber>4444333322221111</or:CardNumber>
          <...><or:ExpiryMonth>--10</or:ExpiryMonth>
          <...><or:ExpiryYear>2029</or:ExpiryYear>
        </or:PaymentCard>
      </or:FormOfPayment>
    </OpenReservationElementUpdate>
  </ReservationUpdateItem>
</...>
```

```
<stl19:Success>OK</stl19:Success>
<stl19:Reservation numberInParty="1" numberOfInfants="0" NumberInSegment="1">
  <stl19:BookingDetails>
    <stl19:POS AirExtras="true" InhibitCode="U">
      <stl19:PassengerReservation>
        <stl19:ReceivedFrom>
          <stl19:PhoneNumbers>
            <stl19:EmailAddresses/>
            <stl19:AccountingLines>
              <stl19:OpenReservationElements>
                <orl14:OpenReservationElement id="27" type="FP" displayIndex="1" elementId="pnr-or-27">
                  <orl14:OpenReservationElement id="30" type="FP" displayIndex="2" elementId="pnr-or-30">
                    <orl14:OpenReservationElement id="31" type="FP" displayIndex="3" elementId="pnr-or-31">
                      <orl14:OpenReservationElement id="32" type="FP" displayIndex="4" elementId="pnr-or-32">
                        <orl14:FormOfPayment migrated="false">
                          <orl14:PaymentCard>
                            <orl14:PaymentType>CC</orl14:PaymentType>
                            <orl14:CardCode>VI</orl14:CardCode>
                            <orl14:CardNumber tokenized="true" masked="true">4XXXXXXXXXXXX1111</orl14:CardNumber>
                            <orl14:ExpiryMonth>--10</orl14:ExpiryMonth>
                            <orl14:ExpiryYear>2029</orl14:ExpiryYear>
                          </orl14:PaymentCard>
                        </orl14:FormOfPayment>
                      </orl14:OpenReservationElement>
                    </orl14:OpenReservationElement>
                  </orl14:OpenReservationElement>
                </orl14:OpenReservationElements>
              </stl19:AccountingLines>
            </stl19:EmailAddresses/>
            </stl19:PhoneNumbers>
          </stl19:ReceivedFrom>
        </stl19:PassengerReservation>
      </stl19:POS AirExtras="true" InhibitCode="U">
    </stl19:BookingDetails>
  </stl19:Reservation>
</stl19:Success>
```

```
AWOJWA
1.1SUES/ALINE
1 VA 804I 15MAY W SYDMEL HK1 630A 805A HRS /DCVA*AZNFAU /E
TKT/TIME LIMIT
1.T-25NOV-N5LG*HTY
PHONES
1.SYD46454354
2.SYD74991234567-A
FORM OF PAYMENT DATA EXISTS *FOP TO DISPLAY ALL
ANCILLARY EXISTS *AE TO DISPLAY
PRICE QUOTE RECORD EXISTS - SYSTEM
SEATS/BOARDING PASS
1 VA 804I 15MAY SYDMEL KK 3D NA P 1.1 SUES/ALINE
AA FACTS
1.SSR PDLG VA KK1 SYDMEL0804I15MAY/E/XL1/1S LOUNGE
GENERAL FACTS
2.SSR PDLG VA NN1 SYDMEL0804I15MAY/E/XL1/1S LOUNGE
ACCOUNTING DATA
```



TravelItineraryReadRQ



PNAPNR OFF – Form of Payment

```
<tir310:AccountingInfo id="29" />
<tir310:CustomerInfo>
  <tir310:ContactNumbers>
    <tir310:ContactNumber LocationCode="SYD" Phone="46454354" RPH="001" Id="6"/>
    <tir310:ContactNumber LocationCode="SYD" Phone="74991234567-A" RPH="002" Id="36"/>
  </tir310:ContactNumbers>
  <tir310:PaymentInfo>
    <tir310:Payment>
      <tir310:Form RPH="001" Id="60">
        <tir310:Text>VI4XXXXXXXXXXXX1111¥05/29</tir310:Text>
      </tir310:Form>
    </tir310:Payment>
  </tir310:PaymentInfo>
</tir310:CustomerInfo>
```

Form of payment information will come in the Customer Info as well as Open Reservation fields:

```
<orl10:OpenReservationElement id="cdb2b542-c0f8-42f4-89bb-452883ee7de4" type="APO" element
<orl10:OpenReservationElement id="60" type="FP" displayIndex="1" elementId="pnr-60">
  <orl10:FormOfPayment migrated="false">
    <orl10:PaymentCard>
      <orl10:PaymentType>CC</orl10:PaymentType>
      <orl10:CardCode>VI</orl10:CardCode>
      <orl10:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl10:CardNumber>
      <orl10:ExpiryMonth>--05</orl10:ExpiryMonth>
      <orl10:ExpiryYear>2029</orl10:ExpiryYear>
    </orl10:PaymentCard>
  </orl10:FormOfPayment>
</orl10:OpenReservationElement>
```

PNAPNR ON – Form of Payment

```
<tir310:AccountingInfo id="29" />
<tir310:CustomerInfo>
  <tir310:ContactNumbers>
    <tir310:ContactNumber LocationCode="SYD" Phone="46454354" RPH="001" Id="6"/>
    <tir310:ContactNumber LocationCode="SYD" Phone="74991234567-A" RPH="002" Id="36"/>
  </tir310:ContactNumbers>
  <tir310:PaymentInfo>
    <tir310:Payment>
      <tir310:Form RPH="001" Id="60">
        <tir310:Text>VI4XXXXXXXXXXXX1111¥05/29</tir310:Text>
      </tir310:Form>
    </tir310:Payment>
  </tir310:PaymentInfo>
</tir310:CustomerInfo>
```

Form of payment information will come in the Customer Info as well as Open Reservation fields:

```
<orl10:OpenReservationElement id="cdb2b542-c0f8-42f4-89bb-452883ee7de4" type="APO" element
<orl10:OpenReservationElement id="60" type="FP" displayIndex="1" elementId="pnr-60">
  <orl10:FormOfPayment migrated="false">
    <orl10:PaymentCard>
      <orl10:PaymentType>CC</orl10:PaymentType>
      <orl10:CardCode>VI</orl10:CardCode>
      <orl10:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl10:CardNumber>
      <orl10:ExpiryMonth>--05</orl10:ExpiryMonth>
      <orl10:ExpiryYear>2029</orl10:ExpiryYear>
    </orl10:PaymentCard>
  </orl10:FormOfPayment>
</orl10:OpenReservationElement>
```


PNR created with PNAPNR OFF and displayed on PNAPNR ON

PCC – Form of Payment

```
<tir310:AccountingInfo id="29" />
<tir310:CustomerInfo>
  <tir310:ContactNumbers>
    <tir310:ContactNumber LocationCode="SYD" Phone="46454354" RPH="001" Id="6"/>
    <tir310:ContactNumber LocationCode="SYD" Phone="74991234567-A" RPH="002" Id="36"/>
  </tir310:ContactNumbers>
  <tir310:PaymentInfo>
    <tir310:Payment>
      <tir310:Form RPH="001" Id="60">
        <tir310:Text>VI4XXXXXXXXXXXX1111¥05/29</tir310:Text>
      </tir310:Form>
    </tir310:Payment>
  </tir310:PaymentInfo>
</tir310:CustomerInfo>
```

Form of payment information will come in the Customer Info as well as Open Reservation fields:

```
<orl10:OpenReservationElement id="cdb2b542-c0f8-42f4-89bb-452883ee7de4" type="APO" element
<orl10:OpenReservationElement id="60" type="FP" displayIndex="1" elementId="pnr-60">
  <orl10:FormOfPayment migrated="false">
    <orl10:PaymentCard>
      <orl10:PaymentType>CC</orl10:PaymentType>
      <orl10:CardCode>VI</orl10:CardCode>
      <orl10:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl10:CardNumber>
      <orl10:ExpiryMonth>--05</orl10:ExpiryMonth>
      <orl10:ExpiryYear>2029</orl10:ExpiryYear>
    </orl10:PaymentCard>
  </orl10:FormOfPayment>
</orl10:OpenReservationElement>
```

PNR created with PNAPNR ON and displayed on PNAPNR OFF

PCC – Form of Payment

```
<tir310:AccountingInfo Id="29" />
<tir310:CustomerInfo>
  <tir310:ContactNumbers>
    <tir310:ContactNumber LocationCode="SYD" Phone="46454354" RPH="001" Id="6"/>
    <tir310:ContactNumber LocationCode="SYD" Phone="74991234567-A" RPH="002" Id="36"/>
  </tir310:ContactNumbers>
  <tir310:PaymentInfo>
    <tir310:Payment>
      <tir310:Form RPH="001" Id="60">
        <tir310:Text>VI4XXXXXXXXXXXX1111¥05/29</tir310:Text>
      </tir310:Form>
    </tir310:Payment>
  </tir310:PaymentInfo>
</tir310:CustomerInfo>
```

Form of payment information will come in the Customer Info as well as Open Reservation fields:

```
<orl10:OpenReservationElement id="cdb2b542-c0f8-42f4-89bb-452883ee7de4" type="APO" element
<orl10:OpenReservationElement id="60" type="FP" displayIndex="1" elementId="pnr-60">
  <orl10:FormOfPayment migrated="false">
    <orl10:PaymentCard>
      <orl10:PaymentType>CC</orl10:PaymentType>
      <orl10:CardCode>VI</orl10:CardCode>
      <orl10:CardNumber tokenized="false">4XXXXXXXXXXXX1111</orl10:CardNumber>
      <orl10:ExpiryMonth>--05</orl10:ExpiryMonth>
      <orl10:ExpiryYear>2029</orl10:ExpiryYear>
    </orl10:PaymentCard>
  </orl10:FormOfPayment>
</orl10:OpenReservationElement>
```

PNAPNR OFF - Associated Remarks

Associated Remarks are added to the API in the Remarks field, with no mention to the passenger. The same behavior applies to PNRs in both mixed environments – ON>OFF and OFF>ON

```
soap-env:Body>
  <tir310:TravelItineraryReadRS xmlns:tir310="http://services.sabre.com/res/tir/v3_10" xmlns:stl="http://services.sabre.com/STL/v01" xmlns:orl10="http://services.sabre.com/orl10/v01">
    <stl:ApplicationResults status="Complete">
      <tir310:TravelItinerary>
        <tir310:CustomerInfo>
          <tir310:Address>
          <tir310:ContactNumbers>
          <tir310:PaymentInfo>
          <tir310:PersonName WithInfant="false" NameNumber="01.01" PassengerType="ADT" RPH="1" elementId="pnr-3.1">
        </tir310:CustomerInfo>
        <tir310:ItineraryInfo>
        <tir310:ItineraryRef AirExtras="false" CustomerIdentifier="1234567" ID="SALGWL" InhibitCode="U" PartitionID="AA" PrimeHostID="1S">
        <tir310:RemarkInfo>
          <tir310:Remark Code="H" RPH="001" Type="Alpha-Coded" Id="7">
            <tir310:Text>/GVI4XXXXXXXXXXXX1111EXP 01 30-SUESCUN</tir310:Text>
          </tir310:Remark>
          <tir310:Remark RPH="002" Type="General" Id="8">
            <tir310:Text>X/INTERFACE REMARK</tir310:Text>
          </tir310:Remark>
          <tir310:Remark RPH="003" Type="General" Id="9">
            <tir310:Text>INVOICE REMARK</tir310:Text>
          </tir310:Remark>
          <tir310:Remark RPH="004" Type="Itinerary" Id="10">
            <tir310:Text>ITINERARY REMARK</tir310:Text>
          </tir310:Remark>
        </tir310:RemarkInfo>
      </tir310:Itinerary>
    </stl:ApplicationResults>
  </tir310:TravelItineraryReadRS>
```

PNAPNR ON - Associated Remarks

Associated Remarks are added to the API in the Remarks field, with the Passenger Association details on the same field.

```
<sti:ApplicationResults status="Complete">
  <tir310:TravelItinerary>
    <tir310:CustomerInfo>
    <tir310:ItineraryInfo>
    <tir310:ItineraryRef AirExtras="false" CustomerIdentifier="1234567" ID="PNCBPF" InhibitCode="U" PartitionID="AA" PrimeHostID="1S">
    <tir310:RemarkInfo>
      <tir310:Remark RPH="001" Type="General" Id="28">
        <tir310:Text>X/INTERFACE REMARK</tir310:Text>
        <tir310:PersonName NameNumber="01.01">SUESCUN/ALINE</tir310:PersonName>
      </tir310:Remark>
      <tir310:Remark RPH="002" Type="General" Id="29">
        <tir310:Text>INVOICE REMARK</tir310:Text>
        <tir310:PersonName NameNumber="01.01">SUESCUN/ALINE</tir310:PersonName>
      </tir310:Remark>
      <tir310:Remark RPH="003" Type="Itinerary" Id="30">
        <tir310:Text>ITINERARY REMARK</tir310:Text>
        <tir310:PersonName NameNumber="01.01">SUESCUN/ALINE</tir310:PersonName>
      </tir310:Remark>
    </tir310:RemarkInfo>
    <tir310:OpenReservationElements>
    <tir310:AssociationMatrices>
  </tir310:TravelItinerary>
</tir310:TravelItineraryReadRS>
</soap-env:Body>
</env:Envelope>
```

PNAPNR ON - Associated Remarks

2 passengers on the PNR, each one with its own association:

```
<tir310:ItineraryRef AirExtras="false" ID="TTFYFR" InhibitCode="U" PartitionID="AA" PrimeHostID="1S">
  <tir310:Source AAA_PseudoCityCode="RD5H" CreateDateTime="2024-02-07T08:51" CreationAgent="HTY" HomePseudoCit
</tir310:ItineraryRef>
<tir310:RemarkInfo>
  <tir310:Remark RPH="001" Type="Invoice" Id="15">
    <tir310:Text>INTERFACE REMARK PX 1</tir310:Text>
    <tir310:PersonName NameNumber="01.01">SUES/ALINEMRS</tir310:PersonName>
  </tir310:Remark>
  <tir310:Remark RPH="002" Type="Invoice" Id="16">
    <tir310:Text>INTERFACE REMARK PX 2</tir310:Text>
    <tir310:PersonName NameNumber="02.01">SUES/IURTESTMR</tir310:PersonName>
  </tir310:Remark>
</tir310:RemarkInfo>
<tir310:SpecialServiceInfo RPH="001" Type="AFX" Id="13">
  <tir310:Service SSR_Code="SSR" SSR_Type="OTHS">
    <tir310:Text>1S MISSING SSR CTCM MOBILE OR SSR CTCE EMAIL OR SSR CTCR NON-CONSENT FOR AF</tir310:Text>
  </tir310:Service>
</tir310:SpecialServiceInfo>
<tir310:OpenReservationElements>
```

PNAPNR ON – FOP Type Association – IUR and Air

```
<!-- Special case because the type is not a -->
<tir310:OpenReservationElements>
  <tir310:AssociationMatrices>
    <tir310:AssociationMatrix>
      <tir310:Name>PersonIDType</tir310:Name>
      <tir310:Parent ref="pnr-3.1"/>
      <tir310:Child ref="pnr-12"/>
      <tir310:Child ref="pnr-or-6"/>
    </tir310:AssociationMatrix>
    <tir310:AssociationMatrix>
      <tir310:Name>FOP</tir310:Name>
      <tir310:Parent ref="pnr-or-6"/>
      <tir310:Child ref="Static" key="FopUsageType" value="IR"/>
    </tir310:AssociationMatrix>
    <tir310:AssociationMatrix>
      <tir310:Name>FOP</tir310:Name>
      <tir310:Parent ref="pnr-or-8"/>
      <tir310:Child ref="Static" key="FopUsageType" value="AL"/>
    </tir310:AssociationMatrix>
  </tir310:AssociationMatrices>
</tir310:OpenReservationElements>
```

*FOP«		
FORM OF PAYMENT		
1. PAYMENT CARD TYPE		
VI4XXXXXXXXXXXX1111/1230		
		UIR
1.1 SUES/ALINEMRS		
2. PAYMENT CARD TYPE		
VI4XXXXXXXXXXXX1111/1230		
		UAL



OTA_AirPriceLLSRQ & EnhancedAirBookRQ (Orchestrated)



PNAPNR OFF - Form of Payment

```
<PriceRequestInformation Retain="true">
  <OptionalQualifiers>
    <FlightQualifiers>
      <VendorPrefs>
        <Airline Code="OS"/>
      </VendorPrefs>
    </FlightQualifiers>
    <FOP_Qualifiers>
      <BasicFOP>
        <CC_Info Suppress="true">
          <PaymentCard Code="VI"
            ExpireDate="2020-12"
            ManualApprovalCode="1234"
            Number="4444333322221111"/>
        </CC_Info>
      </BasicFOP>
    </FOP_Qualifiers>
    <PricingQualifiers>
      <BargainFinder Rebook="true"/>
    </PricingQualifiers>
  </OptionalQualifiers>
</PriceRequestInformation>
```

Currently, you can pass the Form of Payment during Air Price transaction under FOP_Qualifiers>BasicFOP

It can be any valid form of payment.

PNAPNR ON - Form of Payment

```
<!-- Refer a single FOP from the PNR FOP field. -->
<!-- Equivalent Sabre host command: WPF*FOP1#RQ -->
▼<OTA_AirPriceRQ xmlns="http://webservices.sabre.com/sabre
Version="2.17.0">
  ▼<PriceRequestInformation Retain="true">
    ▼<OptionalQualifiers>
      ▼<FOP_Qualifiers>
        <BasicFOP Reference="1"/>
      </FOP_Qualifiers>
    </OptionalQualifiers>
  </PriceRequestInformation>
</OTA_AirPriceRQ>

<!-- Refer a single FOP with additional FOP information. -->
<!-- Equivalent Sabre host command: WPF*FOP1*E12*Z1234#RQ -->
▼<OTA_AirPriceRQ xmlns="http://webservices.sabre.com/sabreXML/2011/10" xml
Version="2.17.0">
  ▼<PriceRequestInformation Retain="true">
    ▼<OptionalQualifiers>
      ▼<FOP_Qualifiers>
        ▼<BasicFOP Reference="1">
          ▼<CC_Info>
            <PaymentCard ExtendedPayment="12" ManualApprovalCode="1234"/>
          </CC_Info>
        </BasicFOP>
      </FOP_Qualifiers>
    </OptionalQualifiers>
  </PriceRequestInformation>
</OTA_AirPriceRQ>
```

The Form of Payment in this API can be consumed as a reference to the information already present in the PNR.

System will still accept any other form of payment such as CC, Cash, etc., if it is fully described in the request, as current. The old format will not go away.

Check all the possible combinations using the wallet (FOP) in Dev Studio:
https://developer.sabre.com/docs/soap_apis/air/book/Price_Air_Itinerary/resources



OTA_AirTicketLLSRQ



PNAPNR OFF - Form of Payment

```
<AirTicketRQ NumResponses="10" ReturnHostCommand="true" Version="2.13.0" xmlns="http://webservices.
  sabre.com/sabreXML/2011/10">
  ....<OptionalQualifiers>
  ....  ....<FOP_Qualifiers>
  ....  ....  ....<BasicFOP>
  ....  ....  ....  ....<CC_Info>
  ....  ....  ....  ....  ....<PaymentCard Code="VI" ExpireDate="2021-10" ManualApprovalCode="ABC123"
  ....  ....  ....  ....  ....  Number="4123412341234123"/>
  ....  ....  ....  ....</CC_Info>
  ....  ....  ....</BasicFOP>
  ....  ....</FOP_Qualifiers>
  ....  ....<PricingQualifiers>
  ....  ....  ....<PriceQuote>
  ....  ....  ....  ....<Record Number="1"/>
  ....  ....  ....</PriceQuote>
  ....  ....</PricingQualifiers>
  ....</OptionalQualifiers>
</AirTicketRQ>
```

When OFF, the API will require the full information about the Form of Payment to be present in the call.

PNAPNR ON - Form of Payment

```
<AirTicketRQ NumResponses="10" ReturnHostCommand="true" Version="2.13.0" xmlns="http://
  webservices.sabre.com/sabreXML/2011/10">
  ....<OptionalQualifiers>
  ....<FOP_Qualifiers>
  ....<BasicFOP Reference="1"/>
  ....</FOP_Qualifiers>
  ....<MiscQualifiers>
  ....<Commission Amount="1"/>
  ....</MiscQualifiers>
  ....<PricingQualifiers>
  ....<PriceQuote>
  ....<Record Number="1"/>
  ....</PriceQuote>
  ....</PricingQualifiers>
  ....</OptionalQualifiers>
</AirTicketRQ>
```

The Form of Payment in this API can be consumed as a reference to the information already present in the PNR.

System will still accept any other form of payment such as CC, Cash, etc., if it is fully described in the request, as current. The old format will not go away.



EPS_EXT_ProfileToPNRRQ
Copy Profile to PNR



Profile Move to PNR – ON x OFF

ON

```
REMARK</HostCommand>
<HostCommand CommandId="cmd3" ElementId="008" ProfileSeqNmbr="0"
  UniqueID="220441359" ProfileName="Aline Suescun">AS#N1.1#5#INVOICE REMARK</
  HostCommand>
<HostCommand CommandId="cmd4" ElementId="009" ProfileSeqNmbr="0"
  UniqueID="220441359" ProfileName="Aline Suescun">AS#N1.1#5#ITINERARY REMARK</
  HostCommand>
<HostCommand CommandId="cmd5" ElementId="004" ProfileSeqNmbr="0"
  UniqueID="220441359" ProfileName="Aline Suescun">AS#N1.
  1#FOP#VI4XXXXXXXXXXXX1111$01/30</HostCommand>
<HostCommand CommandId="cmd6" ElementId="007" ProfileSeqNmbr="1"
  UniqueID="224982089" ProfileName="Junny Corp">9545017040 JUNNYS DESK </
  HostCommand>
<HostCommand CommandId="cmd7" ElementId="009" ProfileSeqNmbr="1"
  UniqueID="224982089" ProfileName="Junny Corp">F0PVI4XXXXXXXXXXXX1111$02/29</
  HostCommand>
<HostCommand CommandId="cmd8" ElementId="012" ProfileSeqNmbr="1"
  UniqueID="224982089" ProfileName="Junny Corp">F0P*AX3XXXXXXXXXXXX0007$02/31</
  HostCommand>
```

OFF

```
UniqueID="220441359" ProfileName="Aline Suescun">5X/INTERFACE REMARK</
HostCommand>
ostCommand CommandId="cmd7" ElementId="008" ProfileSeqNmbr="0"
  UniqueID="220441359" ProfileName="Aline Suescun">5INVOICE REMARK</HostCommand>
ostCommand CommandId="cmd8" ElementId="009" ProfileSeqNmbr="0"
  UniqueID="220441359" ProfileName="Aline Suescun">5#ITINERARY REMARK</
  HostCommand>
ostCommand CommandId="cmd5" ElementId="006" ProfileSeqNmbr="0"
  UniqueID="220441359" ProfileName="Aline Suescun">5H#/GVIXXXXXXXXXXXXX1111EXP
  01 30-SUESCUN</HostCommand>
<HostCommand CommandId="cmd18" ElementId="012" ProfileSeqNmbr="1"
  UniqueID="224982089" ProfileName="Junny Corp">5-*AXXXXXXXXXXXXX0007$02/31</
  HostCommand>
<HostCommand CommandId="cmd19" ElementId="012" ProfileSeqNmbr="1"
  UniqueID="224982089" ProfileName="Junny Corp">5-CH#ALINE SUESCUN</HostCommand>
<HostCommand CommandId="cmd17" ElementId="011" ProfileSeqNmbr="1"
  UniqueID="224982089" ProfileName="Junny Corp">5H#/GVIXXXXXXXXXXXXX1111EXP 02
  29-ALINE SUESCUN</HostCommand>
```

When PCC is ON, association of remarks happens automatically, and the association command AS# is passed to the PNR. Also, the Form of Payment in the Traveler Profile goes to the PNR associated.

No association happens in the PCC OFF.



SabreCommandLLSRQ



SabreCommandLLSRQ – Associated Remarks

Remarks can be “manually” associated using cryptic commands. Find association formats in the page: <https://central.sabre.com/s/article/add-name-associated-pnr-fields-as>

```
<SabreCommandLLSRQ>
  ReturnHostCommand="true" Version="2.0.0" xmlns="http://webservices.sabre.com/sabreXML/2011/10">
    <Request Output="SCREEN">
      <HostCommand>ASYN1.1Y5YH-THIS
      IS A PV FARE</HostCommand>
    </Request>
  </SabreCommandLLSRQ>
```

```
</soap-env:Header>
<soap-env:Body>
  <SabreCommandLLSRS xmlns="http://webservices.sabre.com/sabreXML/2011/10" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:stl="http://services.sabre.com/STL/v01" Version="2.0.0">
    <stl:ApplicationResults status="Complete">
      <stl:Success timeStamp="2024-02-09T19:18:09+00:00">
        <stl:SystemSpecificResults>
          <stl:HostCommand LNIATA="1B440B">ASYN1.1Y5YH-THIS IS A PV FARE</stl:HostCommand>
        </stl:SystemSpecificResults>
      </stl:Success>
    </stl:ApplicationResults>
  </Response>
</SabreCommandLLSRS>
```


SabreCommandLLSRQ – Associated Remarks

Display shows the * indicating the remark association.


```
30      </stl:ApplicationResults>
31      <Response>SMXA0Z
32      1.1SUES/ALINEMRS
33      1 VA 925Y 17MAY F SYDBNE HK1 900A 1030A /DCVA*PNCVOS /E
34      TKT/TIME LIMIT
35      1.T-A
36      PHONES
37      1.SYDP
38      FORM OF PAYMENT DATA EXISTS *FOP TO DISPLAY ALL
39      PRICE QUOTE RECORD EXISTS - SYSTEM
40      REMARKS
41      1*H-THIS IS A PV FARE
42      RECEIVED FROM - ASUEE
43      B1N9.HDQ*HTY 1333/26JAN24 SMXA0Z H</Response>
44      </SabreCommandLLSRQ>
```



API services and Association capabilities



REST APIs



REST APIs that currently support Wallet



- GetBooking
 - https://developer.sabre.com/docs/rest_apis/trip/orders/booking_management
- CreateBooking
 - https://developer.sabre.com/docs/rest_apis/trip/orders/booking_management
- Create Passenger Name Record
 - https://developer.sabre.com/docs/rest_apis/air/book/create_passenger_name_record
- Enhanced Air Ticket
 - https://developer.sabre.com/docs/rest_apis/air/fulfill/enhanced_air_ticket

Sabre®